ELSEVIER

Carbohydrate Research 264 (1994) C15–C17

CARBOHYDRATE RESEARCH

CONTENTS

Modeling of aldopyranosyl ring puckering with MM3(92)
M.K. Dowd, A.D. French (New Orleans, LA, USA) and P.J. Reilly (Ames, IA, USA) 1

Synthesis and investigation of the possible insulin-like activity of 1D-4-*O*- and 1D-6-*O*-(2-amino-2-deoxy-α-D-glucopyranosyl)-*myo*-inositol 1-phosphate and 1D-6-*O*-(2-amino-2-deoxy-α-D-glucopyranosyl)-*myo*-inositol 1,2-(cyclic phosphate)
A. Zapata, Y. León, J.M. Mato, I. Varela-Nieto, S. Penadés and M. Martín-Lomas (Madrid, Spain) 21

A new route to some enantiomerically pure substituted morpholines from D-ribono- and D-gulono-1,4-lactones
K. Bennis, P. Calinaud, J. Gelas and M. Ghobsi (Aubière, France) 33

Synthesis of a fucosylated and a non-fucosylated core structure of xylose-containing carbohydrate chains from N-glycoproteins
J.G.M. Van der Ven (Utrecht, Netherlands), J. Kerékgyártó (Debrecen, Hungary), J.P. Kamerling (Utrecht, Netherlands), A. Lipták (Debrecen, Hungary) and J.F.G. Vliegenthart (Utrecht, Netherlands) 45

Heteropolysaccharides of the lichen *Evernia prunastri*
A.Z.A. Teixeira, M. Iacomini (Curitiba, PR, Brazil), B. McCune (Corvallis, OR, USA) and P.A.J. Gorin (Curitiba, PR, Brazil) 63

Structure of the putative O10 antigen from *Acinetobacter baumannii*
S.R. Haseley and S.G. Wilkinson (Hull, United Kingdom) 73

Isolation and structural characterization of *endo*-rhamnogalacturonase-generated fragments of the backbone of rhamnogalacturonan I
J. An, L. Zhang, M.A. O'Neill, P. Albersheim and A.G. Darvill (Athens, USA) 83

Structural and molecular properties of a water-soluble arabinoxylan–protein complex isolated from rye bran
A. Ebringerová, Z. Hromádková (Bratislava, Slovakia) and G. Berth (Bergholz-Rehbrücke, FRG) 97

α-(2 → 3)- and α-(2 → 6)-Sialyltransferase activities present in three variants of Ehrlich tumor cells: identification of the products derived from *N*-acetyllactosamine and β-D-Gal-(1 → 3)-α-D-GalNAc-(1 → O)-Bn
S. Shigeta, H.C. Winter and I.J. Goldstein (Ann Arbor, MI, USA) 111

Notes

The structure of the O-specific polysaccharide of *Citrobacter freundii* O32, a partially *O*-acetylated homopolymer of 3,6-dideoxy-3-(L-glyceroylamino)-α-D-galactopyranose
N.A. Kocharova, Y.A. Knirel, A.S. Shashkov, N.K. Kochetkov, E.V. Kholodkova and E.S. Stanislavsky (Moscow, Rusian Federation) 123

Structure of the polysaccharide Zanflo elaborated by *Erwinia tahitica* ATCC 217 11
A. Johansson (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden) and G. Widmalm (Stockholm, Sweden) 129

High resolution solid state ^{13}C NMR study of crystalline methyl D-xylopyranoside anomeric mixtures
M. Bardet and M. Vincendon (Grenoble, France). 135

Synthesis and spontaneous dimerization of the tri-*O*-benzyl derivative of "2-keto-1-*C*-methylene-D-glucopyranose" (2,6-anhydro-4,5,7-tri-*O*-benzyl-1-deoxy-D-*arabino*-hept-1-en-3-ulose)
O.R. Martin and F. Xie (Binghamton, NY, USA) 141

Improved preparation of (±)-(1,3/2,4)-5-cyclohexene-1,2,3,4-tetrol [(±)-conduritol-B] and its reaction with hydrobromic and hydrochloric acid; synthesis and characterisation of some (±)-1-deoxy-1-halo- and (±)-1,4-dideoxy-1,4-dihalo-conduritols
Z.-X. Guo, A.H. Haines, S.M. Pyke, S.G. Pyke and R.J.K. Taylor (Norwich, United Kingdom). 147

Efficient preparation of allyl 2,3,6,2′,3′,6′-hexa-*O*-benzyl-β-lactoside and its use as a glycosyl acceptor for chain extension at O-4′
F. Dasgupta and L. Anderson (Madison, WI, USA). 155

Regular papers

Crystal structure and molecular mechanics analysis of methyl 6-*O*-(*N*-heptylcarbamoyl)-α-D-glucopyranoside (HECAMEG)
S.B. Engelsen, S. Pérez (Nantes, France), L. Toupet and D. Plusquellec (Rennes, France) . . 161

Conformational features of rhamnopyranose derivatives. The molecular structure of methyl 2,3,4-tri-*O*-acetyl-α-L-rhamnopyranoside
M.A. Shalaby, F.R. Fronczek and E.S. Younathan (Baton Rouge, LA, USA) 173

Conformations and structure studies of sugar lactones in the solid state. Part I. The molecular structure of L-rhamnono- and L-mannono-1,4-lactones
M.A. Shalaby, F.R. Fronczek and E.S. Younathan (Baton Rouge, LA, USA) 181

Conformations and structure studies of sugar lactones in the solid state. Part II. The molecular structure of α-D-glucosaccharino-γ-lactone: 2-*C*-methyl-D-*ribo*-pentono-1,4-lactone
M.A. Shalaby, F.R. Fronczek, E.S. Younathan (Baton Rouge, LA, USA), G.J.B. Williams (Bohemia, NY, USA) and L.H. Straver (Delft, Netherlands). 191

Selective defucosylation by mercaptolysis. A potential step in analyzing branched oligosaccharides
J. Lehmann, S. Petry, M. Scheuring and M. Schmidt-Schuchardt (Freiburg i. Br., Germany). . 199

Synthesis of neoglycolipids containing a mucin-type core unit
R. Horie and K. Nakano (Kanagawa, Japan). 209

Transition metal–saccharide interactions: Synthesis and characterization of vanadyl saccharides
A. Sreedhara, M.S. Srinivasa Raghavan and C.P. Rao (Bombay, India) 227

Transglucosylation with 6′-chloro-6′-deoxysucrose and immobilized isomaltulose-producing microorganisms using 2,2-dimethyl-1,3-dioxolane-4-methanol and its related compounds as acceptors. Steric and chemical requirement of the glucosyl acceptor
H. Kakinuma, Y. Tsuchiya, M. Tanaka, S. Horito and H. Hashimoto (Yokohama, Japan) . . . 237

Synthetic studies toward pyruvate acetal-containing saccharides: en route to the efficient synthesis of *Rhizobium*-related exopolysaccharide fragments
E. Eckhardt and T. Ziegler (Stuttgart, Germany) 253

Structure of the unusual trisaccharide lipopolysaccharide component produced by a symbiotically defective mutant of *Rhizobium leguminosarum* biovar *viciae*
R.I. Hollingsworth, Y. Zhang (East Lansing, MI, USA) and U.B. Priefer (Aachen, Germany). 271

Purification and properties of an exo-(1 → 3)-β-D-galactanase from *Aspergillus niger*
P. Pellerin and J.-M. Brillouet (Montpellier, France) 281

Analysis of oligosaccharides containing 2-deoxy-α-D-*arabino*-hexosyl residues by the reductive-cleavage method
P. Mischnick, B. Evers and J. Thiem (Hamburg, Germany) 293

Structure of the O16 polysaccharide from *Escherichia coli* O16:K1: an NMR investigation
B. Jann, A.S. Shashkov, H. Kochanowski and K. Jann (Freiburg, Germany) 305

Notes

The structure of the O-specific polysaccharide of the lipopolysaccharide from *Chromobacterium violaceum* NCTC 9694
E.V. Vinogradov, H. Brade and O. Holst (Borstel, FRG) 313

Structure and taste of 4,4′,6,6′-tetrachloro-4,4′,6,6′-tetradeoxy-α,α-*galacto*-trehalose
C.-K. Lee (Kent Ridge, Singapore) and A. Linden (Zürich, Switzerland). 319

Preliminary communication

Synthesis of a novel CMP-Neu5Ac analogue: CMP-[α-Neu5Ac-(2 → 8)-Neu5Ac]
Y. Kajihara, K. Koseki, T. Ebata, H. Kodama, H. Matsushita and H. Hashimoto (Yokohama, Japan) C1

Erratum

Models for the action of barley alpha-amylase isozymes on linear substrates
E.A. MacGregor, A.W. MacGregor, L.J. Macri and J.E. Morgan (Winnipeg, MB, Canada) . . C7

Author index C9

Subject index C11